ELSEVIER

Nuclear Engineering and Design 175 (1997) 269–270

Nuclear Engineering and Design

Author Index of Volume 175

DeJesus, J.M., see Kawaji, M. 175 (1997) 37

Ellingwood, B.R. and Y. Mori, Reliability-based service life assessment of concrete structures in nuclear power plants: optimum inspection and repair 175 (1997) 247

Fajfar, P., see Lapajne, J.K. 175 (1997) 215
Fukano, T., H. Nakagawa, Y. Mori and M. Watanabe, Liquid film formation on the inner surface of the horizontal channel 175 (1997) 3

Hagiwara, Y., Y. Takashina and M. Tanaka, Direct numerical simulation of the basic phase-interactions in liquid turbulent channel flow with immiscible droplets 175 (1997) 49
He, J., see Rife, J. 175 (1997) 71
Hibiki, T., see Mishima, K. 175 (1997) 25
Higaki, H., see Tomiyama, A. 175 (1997) 77
Hogsett, S. and M. Ishii, Local two-phase flow measurements using sensor techniques 175 (1997) 15
Hoshide, A., see Yamamoto, Y. 175 (1997) 119
Huda, K., see Serizawa, A. 175 (1997) 131

Ishii, M., see Hogsett, S. 175 (1997) 15
Ishimoto, J. and S. Kamiyama, Wave propagation in two-phase flow of magnetic fluid under a nonuniform magnetic field 175 (1997) 87

Kafka, P., Living PSA-risk monitoring—current use and developments 175 (1997) 197
Kamiyama, S., see Ishimoto, J. 175 (1997) 87
Kataoka, I., see Serizawa, A. 175 (1997) 131
Kataoka, I., S. Kodama, A. Tomiyama and A. Serizawa, Study on analytical prediction of forced convective CHF based on multi-fluid model 175 (1997) 107
Kawahara, A., Y. Sato and M. Sadatomi, The turbulent mixing rate and the fluctuations of static pressure difference between adjacent subchannels in a two-phase subchannel flow 175 (1997) 97
Kawaji, M., J.M. DeJesus and G. Tudose, Investigation of flow structures in vertical slug flow 175 (1997) 37
Kobayashi, M., see Matsuoka, T. 175 (1997) 205
Kodama, S., see Kataoka, I. 175 (1997) 107
Kuhn, S.Z., see Peterson, P.F. 175 (1997) 157

Lapajne, J.K. and P. Fajfar, Seismic hazard reassessment of an existing NPP in Slovenia 175 (1997) 215

Makino, Y., see Tomiyama, A. 175 (1997) 77
Matsuoka, T. and M. Kobayashi, The GO-FLOW reliability analysis methodology—analysis of common cause failures with uncertainty 175 (1997) 205
Mishima, K., T. Hibiki and H. Nishihara, Visualization and measurement of two-phase flow by using neutron radiography 175 (1997) 25
Mitsutake, T., see Yamamoto, Y. 175 (1997) 119
Mizumachi, W., see Narabayashi, T. 175 (1997) 147
Mori, M., see Narabayashi, T. 175 (1997) 147
Mori, M., see Pokharna, H. 175 (1997) 59
Mori, Y., see Ellingwood, B.R. 175 (1997) 247
Mori, Y., see Fukano, T. 175 (1997) 3
Morooka, S., see Yamamoto, Y. 175 (1997) 119

Nakagawa, H., see Fukano, T. 175 (1997) 3
Narabayashi, T., W. Mizumachi and M. Mori, Study on two-phase flow dynamics in steam injectors 175 (1997) 147
Nishihara, H., see Mishima, K. 175 (1997) 25

Ohta, H., Experiments on microgravity boiling heat transfer by using transparent heaters 175 (1997) 167

Peterson, P.F., V.E. Schrock and S.Z. Kuhn, Recent experiments for laminar and turbulent film heat transfer in vertical tubes 175 (1997) 157
Pokharna, H., M. Mori and V.H. Ransom, The particle fluid model and using Lagrangian representation in two-phase flow modeling 175 (1997) 59

0029-5493/97/$17.00 © 1997 Elsevier Science S.A. All rights reserved.
PII S0029-5493(97)00262-8

Ramos de Menezes, R.C., see Riera, J.D. 175 (1997) 259
Ransom, V.H., see Pokharna, H. 175 (1997) 59
Ravindra, M.K., Seismic individual plant examination of external events of US nuclear power plants: insights and implications 175 (1997) 227
Riera, J.D., M.M. Rocha and R.C. Ramos de Menezes, On the consideration of phenomenological uncertainty 175 (1997) 259
Rife, J., J. He, Y. Song and G.B. Wallis, Measurements of the drift force 175 (1997) 71
Rocha, M.M., see Riera, J.D. 175 (1997) 259

Sadatomi, M., see Kawahara, A. 175 (1997) 97
Sakaguchi, T., see Tomiyama, A. 175 (1997) 77
Sato, Y., see Kawahara, A. 175 (1997) 97
Schrock, V.E., see Peterson, P.F. 175 (1997) 157
Serizawa, A., K. Huda, Y. Yamada and I. Kataoka, Experiment and numerical simulation of bubbly two-phase flow across horizontal and inclined rod bundles 175 (1997) 131
Serizawa, A., see Kataoka, I. 175 (1997) 107
Song, Y., see Rife, J. 175 (1997) 71

Takashina, Y., see Hagiwara, Y. 175 (1997) 49
Tanaka, M., see Hagiwara, Y. 175 (1997) 49
Tomiyama, A., I. Žun, H. Higaki, Y. Makino and T. Sakaguchi, A three-dimensional particle tracking method for bubbly flow simulation 175 (1997) 77
Tomiyama, A., see Kataoka, I. 175 (1997) 107
Tudose, G., see Kawaji, M. 175 (1997) 37

Wallis, G.B., see Rife, J. 175 (1997) 71
Watanabe, M., see Fukano, T. 175 (1997) 3

Yamada, Y., see Serizawa, A. 175 (1997) 131
Yamaguchi, A., Seismic failure probability evaluation of redundant fast breeder reactor piping system by probabilistic structural response analysis 175 (1997) 237
Yamamoto, Y., A. Hoshide, T. Mitsutake and S. Morooka, Analytical study on effects of BWR fuel spacer on droplet deposition 175 (1997) 119

Žun, I., see Tomiyama, A. 175 (1997) 77

ELSEVIER

Nuclear Engineering and Design 175 (1997) 271–272

Nuclear Engineering and Design

Subject Index of Volume 175

Mechanical design, component fabrication and testing

Panel discussion on need of structural reliability analysis in PSAs 175 (1997) 187
Living PSA-risk monitoring—current use and developments
P. Kafka 175 (1997) 197
The GO-FLOW reliability analysis methodology—analysis of common cause failures with uncertainty
T. Matsuoka, M. Kobayashi 175 (1997) 205
Seismic hazard reassessment of an existing NPP in Slovenia
J.K. Lapajne, P. Fajfar 175 (1997) 215
Seismic individual plant examination of external events of US nuclear power plants: insights and implications
M.K. Ravindra 175 (1997) 227
Seismic failure probability evaluation of redundant fast breeder reactor piping system by probabilistic structural response analysis
A. Yamaguchi 175 (1997) 237
Reliability-based service life assessment of concrete structures in nuclear power plants: optimum inspection and repair
B.R. Ellingwood, Y. Mori 175 (1997) 247
On the consideration of phenomenological uncertainty
J.D. Riera, M.M. Rocha, R.C. Ramos de Menezes 175 (1997) 259

Structural design, construction methods and testing

Reliability-based service life assessment of concrete structures in nuclear power plants: optimum inspection and repair
B.R. Ellingwood, Y. Mori 175 (1997) 247

Miscellaneous

Preface 175 (1997) 1
Preface 175 (1997) 185

Nuclear safety

Living PSA-risk monitoring—current use and developments
P. Kafka 175 (1997) 197
The GO-FLOW reliability analysis methodology—analysis of common cause failures with uncertainty
T. Matsuoka, M. Kobayashi 175 (1997) 205
Seismic hazard reassessment of an existing NPP in Slovenia
J.K. Lapajne, P. Fajfar 175 (1997) 215
Seismic individual plant examination of external events of US nuclear power plants: insights and implications
M.K. Ravindra 175 (1997) 227

Thermal hydraulics and safety

Liquid film formation on the inner surface of the horizontal channel
T. Fukano, H. Nakagawa, Y. Mori, M. Watanabe 175 (1997) 3
Local two-phase flow measurements using sensor techniques
S. Hogsett, M. Ishii 175 (1997) 15
Visualization and measurement of two-phase flow by using neutron radiography
K. Mishima, T. Hibiki, H. Nishihara 175 (1997) 25
Investigation of flow structures in vertical slug flow
M. Kawaji, J.M. DeJesus, G. Tudose 175 (1997) 37
Direct numerical simulation of the basic phase-interactions in liquid turbulent channel flow with immiscible droplets
Y. Hagiwara, Y. Takashina, M. Tanaka 175 (1997) 49
The particle fluid model and using Lagrangian representation in two-phase flow modeling
H. Pokharna, M. Mori, V.H. Ransom 175 (1997) 59
Measurements of the drift force
J. Rife, J. He, Y. Song, G.B. Wallis 175 (1997) 71
A three-dimensional particle tracking method for bubbly flow simulation

0029-5493/97/$17.00 © 1997 Elsevier Science S.A. All rights reserved.
PII S0029-5493(97)00263-X

A. Tomiyama, I. Žun, H. Higaki, Y. Makino, T. Sakaguchi 175 (1997) 77
Wave propagation in two-phase flow of magnetic fluid under a nonuniform magnetic field
J. Ishimoto, S. Kamiyama 175 (1997) 87
The turbulent mixing rate and the fluctuations of static pressure difference between adjacent subchannels in a two-phase subchannel flow
A. Kawahara, Y. Sato, M. Sadatomi 175 (1997) 97
Study on analytical prediction of forced convective CHF based on multi-fluid model
I. Kataoka, S. Kodama, A. Tomiyama, A. Serizawa 175 (1997) 107
Analytical study on effects of BWR fuel spacer on droplet deposition
Y. Yamamoto, A. Hoshide, T. Mitsutake, S. Morooka 175 (1997) 117
Experiment and numerical simulation of bubbly two-phase flow across horizontal and inclined rod bundles
A. Serizawa, K. Huda, Y. Yamada, I. Kataoka 175 (1997) 131
Study on two-phase flow dynamics in steam injectors
T. Narabayashi, W. Mizumachi, M. Mori 175 (1997) 147
Recent experiments for laminar and turbulent film heat transfer in vertical tubes
P.F. Peterson, V.E. Schrock, S.Z. Kuhn 175 (1997) 157
Experiments on microgravity boiling heat transfer by using transparent heaters
H. Ohta 175 (1997) 167